

Botanical survey of Foxburrow Wood

DAFOR scale: D = Dominant; A = Abundant, F = Frequent, O = Occasional, R = Rare, I = locally (used to give rough estimate of abundance of a particular species)

Scientific name	Common name	Different areas identified on map					
		A	B	C	D	E	F
<i>Ajuga reptans</i>	Bugle						
<i>Agrostis stolonifera</i>	Creeping Bent						
<i>Alliaria petiolata</i>	Garlic Mustard/Jack-by-the-hedge						
<i>Alopecurus pratensis</i>	Meadow Foxtail	/F					
<i>Angelica sylvestris</i>	Wild Angelica						
<i>Anthoxanthum odoratum</i>	Sweet Vernal Grass						
<i>Anthriscus sylvestris</i>	Cow Parsley	/F	/O				
<i>Arum maculatum</i>	Wild Arum/Lords-and-ladies						
<i>Bellis perennis</i>	Common Daisy		/O				
<i>Bromus hordeaceus</i>	Soft Brome	/F					
<i>Bryonia dioica</i>	White Bryony						
<i>Calystegia sepium</i>	Hedge Bindweed	/O	/O				
<i>Capsella bursa-pastoris</i>	Shepherd's Purse	/R					
<i>Cardamine flexuosa</i>	Wavy Bittercress						
<i>Cardamine pratensis</i>	Cuckooflower/Lady's Smock						
<i>Carex caryophylllea</i>	Spring Sedge						
<i>Carex hirta</i>	Hairy Sedge	/R					
<i>Centaurea nigra</i>	Common Knapweed	/F	/F				
<i>Cerastium fontanum</i>	Common Mouse-ear	/F	/O				
<i>Cirsium arvense</i>	Creeping Thistle	/A	/O				
<i>Cirsium vulgare</i>	Spear Thistle	/F	/O				
<i>Conium maculatum</i>	Hemlock						
<i>Conopodium majus</i>	Pignut						
<i>Convolvulus arvensis</i>	Field Bindweed						
<i>Cynosurus cristatus</i>	Crested Dogstail						
<i>Dactylis glomerata</i>	Cock's-foot	/F	/F				
<i>Epilobium hirsutum</i>	Great Willowherb	/F	/F				
<i>Epilobium parviflorum</i>	Hoary Willowherb		/F				
<i>Festuca ovina</i>	Sheep's Fescue		/F				
<i>Festuca rubra</i>	Red Fescue						
<i>Filipendula ulmaria</i>	Meadowsweet						
<i>Galium aparine</i>	Cleavers/Goosegrass	/A	/F				
<i>Galium verum</i>	Lady's Bedstraw		/O				
<i>Geranium dissectum</i>	Cut-leaved Cranesbill	/A	/A				
<i>Geranium pratense</i>	Meadow Cranesbill						
<i>Geranium robertianum</i>	Herb Robert						
<i>Geum urbanum</i>	Herb Bennet/Wood Avens	/O					
<i>Glechoma hederacea</i>	Ground Ivy						
<i>Hedera helix</i>	Ivy						
<i>Heracleum sphondylium</i>	Hogweed	/F	/O				
<i>Holcus lanatus</i>	Yorkshire Fog	/F	/F				

<i>Hypericum hirsutum</i>	Hairy St John's-wort						
<i>Hypericum tetrapterum</i>	Square-stalked St John's-wort						
<i>Lamium album</i>	White Dead-nettle	/O					
<i>Lapsana communis</i>	Nipplewort		/O				
<i>Lathyrus pratensis</i>	Meadow Vetchling						
<i>Lotus corniculatus</i>	Bird's-foot Trefoil	/O	/O				
<i>Luzula campestris</i>	Field Wood-rush						
<i>Moehringia trinervia</i>	Three-nerved Sandwort						
<i>Myosotis arvensis</i>	Field Forget-me-not						
<i>Poa pratensis</i>	Smooth Meadow-grass		/F				
<i>Poa trivialis</i>	Rough Meadow-grass	/F	/F				
<i>Potentilla anserina</i>	Silverweed						
<i>Potentilla reptans</i>	Creeping Cinquefoil		/O				
<i>Ranunculus acris</i>	Meadow Buttercup	/F	/F				
<i>Ranunculus bulbosus</i>	Bulbous Buttercup	/F	/F				
<i>Ranunculus ficaria</i>	Lesser Celandine						
<i>Ranunculus repens</i>	Creeping Buttercup	/O	/O				
<i>Rumex acetosa</i>	Common Sorrel	/O	/F				
<i>Rumex obtusifolius</i>	Broad-leaved Dock	/O	/F				
<i>Rumex sanguineus</i>	Wood Dock		/O				
<i>Senecio jacobaea</i>	Common Ragwort						
<i>Solanum dulcamara</i>	Bittersweet						
<i>Stachys sylvatica</i>	Hedge Woundwort						
<i>Symphytum officinale</i>	Common Comfrey						
<i>Tamus communis</i>	Black Bryony						
<i>Taraxacum officinale</i>	Dandelion	/F	/F				
<i>Tragopogon pratensis</i>	Goatsbeard/Johnny-go-to-bed-at-noon						
<i>Trifolium pratense</i>	Red Clover	/F	/F				
<i>Trifolium repens</i>	White Clover		/F				
<i>Urtica dioica</i>	Stinging Nettle	/F	/F				
<i>Veronica arvensis</i>	Wall Speedwell		/O				
<i>Veronica chamaedrys</i>	Germander Speedwell	/O	/O				
<i>Veronica serpyllifolia</i>	Thyme-leaved Speedwell						
<i>Vicia sativa</i>	Common Vetch	/F	/F				
<i>Vicia sepium</i>	Bush Vetch						
<i>Viola riviniana</i>	Common Dog Violet						
<i>Silene dioica</i>	Red campion	/F					
<i>Rubus fruticosus agg</i>	Bramble	/O					
<i>Stellaria holostea</i>	Greater Stitchwort	/O					
<i>Epilobium tetragonum</i>	Square Willowherb	/O	/O				
<i>Veronica hederifolia</i>	Ivy-leaved Speedwell	/O					
<i>Rumex crispus</i>	Curled Dock	/O	/O				
<i>Plantago major</i>	Greater Plantain	/O	/F				
<i>Plantago lanceolata</i>	Ribwort Plantain	/O	/F				
<i>Chenopodium album</i>	Fat Hen	/O					
<i>Raphanus raphanistrum</i>	Wild Radish	/O	/O				

<i>Leucanthum vulgare</i>	Ox Eye Daisy	/O	/F				
<i>Senecio erucifolius</i>	Hoary Ragwort	/O	/O				
<i>Centaurea scabiosa</i>	Greater Knapweed		/O				
<i>Lamium album</i>	White Deadnettle		/O				
<i>Bellis perennis</i>	Daisy		/O				
<i>Bromus erectus</i>			/O				
<i>Polygonum aviculare</i>	Knotgrass		/O				
<i>Brassica napus</i>	Oilseed Rape		/O*				
<i>Brassica nigra</i>	Black mustard		/O*				
<i>Anisantha sterilis</i>	Barren Brome		/F				
<i>Daucus carota</i>	Wild Carrot		/O				
<i>Sonchus asper</i>	Rough Sow thistle		/O				
<i>Lysimachia punctata</i>	Dotted Loosestrife		/O*				
<i>Achillea millefolium</i>	Yarrow		/O*				
<i>Papaver rhoeas</i>	Common Poppy		/O*				
<i>Silene latifolia</i>	White campion (and hybrids)		/O*				
<i>Tragopogon porrifolius</i>	Salsify		/O				
<i>Rumex conglomeratus</i>	Clustered Dock						
<i>Schedonorus arundinacea</i>	Tall Fescue		/O				
<i>Arrhenatherum elatius</i>	False Oat-grass		/O				
<i>Veronica persica</i>	Common Field Speedwell		/O				
<i>Crepis vesicaria</i>	Beaked Hawksbeard		/O				
<i>Dipsacus fullonum</i>	Wild Teasel		/O				
<i>Lolium perenne</i>	Perennial Ryegrass		/O				
<i>Mycelis muralis</i>	Wall lettuce		/R				
<i>Veronica beccabunga</i>	Brooklime		/O				

*Seedmix on raised bank